

## References

(Our “Omits” Analysis of Soybean)

1: Kamal AH, Rashid H, Sakata K, Komatsu S. Gel-free quantitative proteomic approach to identify cotyledon proteins in soybean under flooding stress. *J Proteomics*. 2014 Sep 6. pii: S1874-3919(14)00412-6. doi: 10.1016/j.jprot.2014.08.014. [Epub ahead of print] PubMed PMID: 25201076.

2: Nanjo Y, Jang HY, Kim HS, Hiraga S, Woo SH, Komatsu S. Analyses of flooding tolerance of soybean varieties at emergence and varietal differences in their proteomes. *Phytochemistry*. 2014 Oct;106:25-36. doi: 10.1016/j.phytochem.2014.06.017. Epub 2014 Jul 19. PubMed PMID: 25053003.

3: Komatsu S, Oh MW, Jang HY, Kwon SJ, Kim HR, Ko JH, Woo SH, Nanjo Y. Proteomic Analyses of Soybean Root Tips During Germination. *Protein Pept Lett*. 2014 May 26. [Epub ahead of print] PubMed PMID: 24865135.

4: Yin X, Sakata K, Nanjo Y, Komatsu S. Analysis of initial changes in the proteins of soybean root tip under flooding stress using gel-free and gel-based proteomic techniques. *J Proteomics*. 2014 Jun 25;106:1-16. doi: 10.1016/j.jprot.2014.04.004. Epub 2014 Apr 13. PubMed PMID: 24732726.

5: Komatsu S, Kamal AH, Makino T, Hossain Z. Ultraweak photon emission and proteomics analyses in soybean under abiotic stress. *Biochim Biophys Acta*. 2014 Jul;1844(7):1208-18. doi: 10.1016/j.bbapap.2014.04.002. Epub 2014 Apr 12. Review. PubMed PMID: 24726903.

6: Oh MW, Nanjo Y, Komatsu S. Analysis of soybean root proteins affected by gibberellic acid treatment under flooding stress. *Protein Pept Lett*. 2014;21(9):911-47. PubMed PMID: 24702262.

7: Komatsu S, Nakamura T, Sugimoto Y, Sakamoto K. Proteomic and metabolomic analyses of soybean root tips under flooding stress. *Protein Pept Lett*. 2014;21(9):865-84. PubMed PMID: 24654851.

8: Komatsu S, Hiraga S, Nouri MZ. Analysis of flooding-responsive proteins localized

in the nucleus of soybean root tips. *Mol Biol Rep*. 2014 Feb;41(2):1127-39. doi: 10.1007/s11033-013-2959-7. Epub 2014 Jan 3. PubMed PMID: 24385303.

9: Oh MW, Nanjo Y, Komatsu S. Identification of nuclear proteins in soybean under flooding stress using proteomic technique. *Protein Pept Lett*. 2014 May;21(5):458-67. PubMed PMID: 24237379.

10: Nishizawa K, Hiraga S, Yasue H, Chiba M, Tougou M, Nanjo Y, Komatsu S. The synthesis of cytosolic ascorbate peroxidases in germinating seeds and seedlings of soybean and their behavior under flooding stress. *Biosci Biotechnol Biochem*. 2013;77(11):2205-9. Epub 2013 Nov 7. PubMed PMID: 24200779.

11: Hossain Z, Komatsu S. Soybean proteomics. *Methods Mol Biol*. 2014;1072:315-31. doi: 10.1007/978-1-62703-631-3\_23. PubMed PMID: 24136532.

12: Hossain Z, Khatoon A, Komatsu S. Soybean proteomics for unraveling abiotic stress response mechanism. *J Proteome Res*. 2013 Nov 1;12(11):4670-84. doi: 10.1021/pr400604b. Epub 2013 Sep 24. Review. PubMed PMID: 24016329.

13: Komatsu S, Han C, Nanjo Y, Altaf-Un-Nahar M, Wang K, He D, Yang P. Label-free quantitative proteomic analysis of abscisic acid effect in early-stage soybean under flooding. *J Proteome Res*. 2013 Nov 1;12(11):4769-84. doi: 10.1021/pr4001898. Epub 2013 Jul 23. PubMed PMID: 23808807.

14: Komatsu S, Makino T, Yasue H. Proteomic and biochemical analyses of the cotyledon and root of flooding-stressed soybean plants. *PLoS One*. 2013 Jun 14;8(6):e65301. doi: 10.1371/journal.pone.0065301. Print 2013. PubMed PMID: 23799004; PubMed Central PMCID: PMC3683008.

15: Khan NA, Komatsu S, Sawada H, Nouri MZ, Kohno Y. Analysis of proteins associated with ozone stress response in soybean cultivars. *Protein Pept Lett*. 2013 Oct;20(10):1144-52. PubMed PMID: 23688188.

16: Nanjo Y, Nakamura T, Komatsu S. Identification of indicator proteins associated with flooding injury in soybean seedlings using label-free quantitative proteomics. *J*

Proteome Res. 2013 Nov 1;12(11):4785-98. doi: 10.1021/pr4002349. Epub 2013 Jul 23. PubMed PMID: 23659366.

17: Komatsu S, Yanagawa Y. Cell wall proteomics of crops. Front Plant Sci. 2013 Feb 7;4:17. doi: 10.3389/fpls.2013.00017. eCollection 2013. PubMed PMID: 23403621; PubMed Central PMCID: PMC3566523.

18: Komatsu S, Nanjo Y, Nishimura M. Proteomic analysis of the flooding tolerance mechanism in mutant soybean. J Proteomics. 2013 Feb 21;79:231-50. doi: 10.1016/j.jprot.2012.12.023. Epub 2013 Jan 9. PubMed PMID: 23313221.

19: Komatsu S, Shirasaka N, Sakata K. 'Omics' techniques for identifying flooding-response mechanisms in soybean. J Proteomics. 2013 Nov 20;93:169-78. doi: 10.1016/j.jprot.2012.12.016. Epub 2013 Jan 8. Review. PubMed PMID: 23313220.

20: Khatoon A, Rehman S, Oh MW, Woo SH, Komatsu S. Analysis of response mechanism in soybean under low oxygen and flooding stresses using gel-base proteomics technique. Mol Biol Rep. 2012 Dec;39(12):10581-94. doi: 10.1007/s11033-012-1946-8. Epub 2012 Oct 7. PubMed PMID: 23053957.

21: Kausar R, Hossain Z, Makino T, Komatsu S. Characterization of ascorbate peroxidase in soybean under flooding and drought stresses. Mol Biol Rep. 2012 Dec;39(12):10573-9. doi: 10.1007/s11033-012-1945-9. Epub 2012 Oct 7. PubMed PMID: 23053956.

22: Komatsu S, Kuji R, Nanjo Y, Hiraga S, Furukawa K. Comprehensive analysis of endoplasmic reticulum-enriched fraction in root tips of soybean under flooding stress using proteomics techniques. J Proteomics. 2012 Dec 21;77:531-60. doi: 10.1016/j.jprot.2012.09.032. Epub 2012 Oct 2. PubMed PMID: 23041469.

23: Khatoon A, Rehman S, Hiraga S, Makino T, Komatsu S. Organ-specific proteomics analysis for identification of response mechanism in soybean seedlings under flooding stress. J Proteomics. 2012 Oct 22;75(18):5706-23. doi: 10.1016/j.jprot.2012.07.031. Epub 2012 Jul 29. PubMed PMID: 22850269.

24: Khatoon A, Rehman S, Salavati A, Komatsu S. A comparative proteomics analysis

in roots of soybean to compatible symbiotic bacteria under flooding stress. *Amino Acids*. 2012 Dec;43(6):2513-25. doi: 10.1007/s00726-012-1333-8. Epub 2012 Jun 13. PubMed PMID: 22692703.

25: Ohyanagi H, Sakata K, Komatsu S. Soybean Proteome Database 2012: update on the comprehensive data repository for soybean proteomics. *Front Plant Sci*. 2012 May 30;3:110. doi: 10.3389/fpls.2012.00110. eCollection 2012. PubMed PMID: 22661982; PubMed Central PMCID: PMC3362740.

26: Hossain Z, Makino T, Komatsu S. Proteomic study of  $\beta$ -aminobutyric acid-mediated cadmium stress alleviation in soybean. *J Proteomics*. 2012 Jul 16;75(13):4151-64. doi: 10.1016/j.jprot.2012.05.037. Epub 2012 May 29. PubMed PMID: 22652489.

27: Hossain Z, Hajika M, Komatsu S. Comparative proteome analysis of high and low cadmium accumulating soybeans under cadmium stress. *Amino Acids*. 2012 Dec;43(6):2393-416. doi: 10.1007/s00726-012-1319-6. Epub 2012 May 16. PubMed PMID: 22588482.

28: Yanagawa Y, Komatsu S. Ubiquitin/proteasome-mediated proteolysis is involved in the response to flooding stress in soybean roots, independent of oxygen limitation. *Plant Sci*. 2012 Apr;185-186:250-8. doi: 10.1016/j.plantsci.2011.11.014. Epub 2011 Nov 28. PubMed PMID: 22325888.

29: Mohammadi PP, Moieni A, Hiraga S, Komatsu S. Organ-specific proteomic analysis of drought-stressed soybean seedlings. *J Proteomics*. 2012 Mar 16;75(6):1906-23. doi: 10.1016/j.jprot.2011.12.041. Epub 2012 Jan 8. PubMed PMID: 22245419.

30: Nouri MZ, Hiraga S, Yanagawa Y, Sunohara Y, Matsumoto H, Komatsu S. Characterization of calnexin in soybean roots and hypocotyls under osmotic stress. *Phytochemistry*. 2012 Feb;74:20-9. doi: 10.1016/j.phytochem.2011.11.005. Epub 2011 Dec 9. PubMed PMID: 22169501.

31: Nanjo Y, Skultety L, Uváčková L, Klubicová K, Hajduch M, Komatsu S. Mass spectrometry-based analysis of proteomic changes in the root tips of flooded soybean

seedlings. *J Proteome Res.* 2012 Jan 1;11(1):372-85. doi: 10.1021/pr200701y. Epub 2011 Dec 13. PubMed PMID: 22136409.

32: Salavati A, Khatoon A, Nanjo Y, Komatsu S. Analysis of proteomic changes in roots of soybean seedlings during recovery after flooding. *J Proteomics.* 2012 Jan 4;75(3):878-93. doi: 10.1016/j.jprot.2011.10.002. Epub 2011 Oct 13. PubMed PMID: 22037232.

33: Komatsu S, Hiraga S, Yanagawa Y. Proteomics techniques for the development of flood tolerant crops. *J Proteome Res.* 2012 Jan 1;11(1):68-78. doi: 10.1021/pr2008863. Epub 2011 Nov 15. Review. PubMed PMID: 22029422.

34: Salavati A, Bushehri AA, Taleei A, Hiraga S, Komatsu S. A comparative proteomic analysis of the early response to compatible symbiotic bacteria in the roots of a supernodulating soybean variety. *J Proteomics.* 2012 Jan 4;75(3):819-32. doi: 10.1016/j.jprot.2011.09.022. Epub 2011 Oct 8. PubMed PMID: 22005398.

35: Komatsu S, Deschamps T, Hiraga S, Kato M, Chiba M, Hashiguchi A, Tougo M, Shimamura S, Yasue H. Characterization of a novel flooding stress-responsive alcohol dehydrogenase expressed in soybean roots. *Plant Mol Biol.* 2011 Oct;77(3):309-22. doi: 10.1007/s11103-011-9812-y. Epub 2011 Aug 3. PubMed PMID: 21811849.

36: Komatsu S, Yamamoto A, Nakamura T, Nouri MZ, Nanjo Y, Nishizawa K, Furukawa K. Comprehensive analysis of mitochondria in roots and hypocotyls of soybean under flooding stress using proteomics and metabolomics techniques. *J Proteome Res.* 2011 Sep 2;10(9):3993-4004. doi: 10.1021/pr2001918. Epub 2011 Aug 2. PubMed PMID: 21766870.

37: Nanjo Y, Maruyama K, Yasue H, Yamaguchi-Shinozaki K, Shinozaki K, Komatsu S. Transcriptional responses to flooding stress in roots including hypocotyl of soybean seedlings. *Plant Mol Biol.* 2011 Sep;77(1-2):129-44. doi: 10.1007/s11103-011-9799-4. Epub 2011 Jun 8. PubMed PMID: 21656040.

38: Takahashi R, Benitez ER, Oyoo ME, Khan NA, Komatsu S. Nonsense mutation of an MYB transcription factor is associated with purple-blue flower color in soybean. *J Hered.* 2011 Jul-Aug;102(4):458-63. doi: 10.1093/jhered/esr028. Epub 2011 May 12.

PubMed PMID: 21566002.

39: Sobhanian H, Aghaei K, Komatsu S. Changes in the plant proteome resulting from salt stress: toward the creation of salt-tolerant crops? *J Proteomics*. 2011 Aug 12;74(8):1323-37. doi: 10.1016/j.jprot.2011.03.018. Epub 2011 Apr 2. Review. PubMed PMID: 21440686.

40: Ahsan N, Nakamura T, Komatsu S. Differential responses of microsomal proteins and metabolites in two contrasting cadmium (Cd)-accumulating soybean cultivars under Cd stress. *Amino Acids*. 2012 Jan;42(1):317-27. doi: 10.1007/s00726-010-0809-7. Epub 2010 Nov 24. PubMed PMID: 21107622.

41: Shimamura S, Yamamoto R, Nakamura T, Shimada S, Komatsu S. Stem hypertrophic lenticels and secondary aerenchyma enable oxygen transport to roots of soybean in flooded soil. *Ann Bot*. 2010 Aug;106(2):277-84. doi: 10.1093/aob/mcq123. PubMed PMID: 20660468; PubMed Central PMCID: PMC2908175.

42: Nanjo Y, Skultety L, Ashraf Y, Komatsu S. Comparative proteomic analysis of early-stage soybean seedlings responses to flooding by using gel and gel-free techniques. *J Proteome Res*. 2010 Aug 6;9(8):3989-4002. doi: 10.1021/pr100179f. PubMed PMID: 20540568.

43: Ahsan N, Donnart T, Nouri MZ, Komatsu S. Tissue-specific defense and thermo-adaptive mechanisms of soybean seedlings under heat stress revealed by proteomic approach. *J Proteome Res*. 2010 Aug 6;9(8):4189-204. doi: 10.1021/pr100504j. PubMed PMID: 20540562.

44: Komatsu S, Kobayashi Y, Nishizawa K, Nanjo Y, Furukawa K. Comparative proteomics analysis of differentially expressed proteins in soybean cell wall during flooding stress. *Amino Acids*. 2010 Nov;39(5):1435-49. doi: 10.1007/s00726-010-0608-1. Epub 2010 May 11. PubMed PMID: 20458513.

45: Ahsan N, Nanjo Y, Sawada H, Kohno Y, Komatsu S. Ozone stress-induced proteomic changes in leaf total soluble and chloroplast proteins of soybean reveal that carbon allocation is involved in adaptation in the early developmental stage. *Proteomics*. 2010 Jul;10(14):2605-19. doi: 10.1002/pmic.201000180. PubMed PMID:

20443193.

46: Sobhanian H, Razavizadeh R, Nanjo Y, Ehsanpour AA, Jazii FR, Motamed N, Komatsu S. Proteome analysis of soybean leaves, hypocotyls and roots under salt stress. *Proteome Sci.* 2010 Mar 29;8:19. doi: 10.1186/1477-5956-8-19. PubMed PMID: 20350314; PubMed Central PMCID: PMC2859372.

47: Nouri MZ, Komatsu S. Comparative analysis of soybean plasma membrane proteins under osmotic stress using gel-based and LC MS/MS-based proteomics approaches. *Proteomics.* 2010 May;10(10):1930-45. doi: 10.1002/pmic.200900632. PubMed PMID: 20209511.

48: Ahsan N, Komatsu S. Comparative analyses of the proteomes of leaves and flowers at various stages of development reveal organ-specific functional differentiation of proteins in soybean. *Proteomics.* 2009 Nov;9(21):4889-907. doi: 10.1002/pmic.200900308. PubMed PMID: 19862761.

49: Toorchi M, Yukawa K, Nouri MZ, Komatsu S. Proteomics approach for identifying osmotic-stress-related proteins in soybean roots. *Peptides.* 2009 Dec;30(12):2108-17. doi: 10.1016/j.peptides.2009.09.006. Epub 2009 Sep 9. PubMed PMID: 19747515.

50: Hashiguchi A, Sakata K, Komatsu S. Proteome analysis of early-stage soybean seedlings under flooding stress. *J Proteome Res.* 2009 Apr;8(4):2058-69. doi: 10.1021/pr801051m. PubMed PMID: 19714819.

51: Khan NA, Takahashi R, Abe J, Komatsu S. Identification of cleistogamy-associated proteins in flower buds of near-isogenic lines of soybean by differential proteomic analysis. *Peptides.* 2009 Dec;30(12):2095-102. doi: 10.1016/j.peptides.2009.08.012. Epub 2009 Aug 22. PubMed PMID: 19703503.

52: Komatsu S, Yamamoto R, Nanjo Y, Mikami Y, Yunokawa H, Sakata K. A comprehensive analysis of the soybean genes and proteins expressed under flooding stress using transcriptome and proteome techniques. *J Proteome Res.* 2009 Oct;8(10):4766-78. doi: 10.1021/pr900460x. PubMed PMID: 19658438.

53: Komatsu S, Wada T, Abaléa Y, Nouri MZ, Nanjo Y, Nakayama N, Shimamura S,

Yamamoto R, Nakamura T, Furukawa K. Analysis of plasma membrane proteome in soybean and application to flooding stress response. *J Proteome Res.* 2009 Oct;8(10):4487-99. doi: 10.1021/pr9002883. PubMed PMID: 19658398.

54: Afroz A, Hashiguchi A, Khan MR, Komatsu S. Analyses of the proteomes of the leaf, hypocotyl, and root of young soybean seedlings. *Protein Pept Lett.* 2010 Mar;17(3):319-31. PubMed PMID: 19508212.

55: Sakata K, Ohyanagi H, Nobori H, Nakamura T, Hashiguchi A, Nanjo Y, Mikami Y, Yunokawa H, Komatsu S. Soybean proteome database: a data resource for plant differential omics. *J Proteome Res.* 2009 Jul;8(7):3539-48. doi: 10.1021/pr900229k. PubMed PMID: 19489578.

56: Komatsu S, Sugimoto T, Hoshino T, Nanjo Y, Furukawa K. Identification of flooding stress responsible cascades in root and hypocotyl of soybean using proteome analysis. *Amino Acids.* 2010 Mar;38(3):729-38. doi: 10.1007/s00726-009-0277-0. Epub 2009 Mar 31. PubMed PMID: 19333721.

57: Komatsu S, Ahsan N. Soybean proteomics and its application to functional analysis. *J Proteomics.* 2009 Apr 13;72(3):325-36. doi: 10.1016/j.jprot.2008.10.001. Epub 2008 Nov 5. Review. PubMed PMID: 19022415.

58: Toorchi M, Nouri MZ, Tsumura M, Komatsu S. Acoustic technology for high-performance disruption and extraction of plant proteins. *J Proteome Res.* 2008 Jul;7(7):3035-41. doi: 10.1021/pr800012c. Epub 2008 Jun 11. PubMed PMID: 18543963.

59: Shi F, Yamamoto R, Shimamura S, Hiraga S, Nakayama N, Nakamura T, Yukawa K, Hachinohe M, Matsumoto H, Komatsu S. Cytosolic ascorbate peroxidase 2 (cAPX 2) is involved in the soybean response to flooding. *Phytochemistry.* 2008 Apr;69(6):1295-303. doi: 10.1016/j.phytochem.2008.01.007. Epub 2008 Mar 4. PubMed PMID: 18308350.

60: Aghaei K, Ehsanpour AA, Shah AH, Komatsu S. Proteome analysis of soybean hypocotyl and root under salt stress. *Amino Acids.* 2009 Jan;36(1):91-8. doi: 10.1007/s00726-008-0036-7. Epub 2008 Feb 9. PubMed PMID: 18264660.



61: Watanabe Y, Barbashov SF, Komatsu S, Hemmings AM, Miyagi M, Tsunasawa S, Hirano H. A peptide that stimulates phosphorylation of the plant insulin-binding protein. Isolation, primary structure and cDNA cloning. *Eur J Biochem.* 1994 Aug 15;224(1):167-72. PubMed PMID: 8076638.

62: Xia BS, Waterhouse RN, Watanabe Y, Kajiwarra H, Komatsu S, Hirano H. Nucleotide sequence of a soybean (*Glycine max* L. Merr.) ubiquitin gene. *Plant Physiol.* 1994 Feb;104(2):805-6. PubMed PMID: 8159798; PubMed Central PMCID: PMC159265.

63: Komatsu S, Hirano H. Plant basic 7 S globulin-like proteins have insulin and insulin-like growth factor binding activity. *FEBS Lett.* 1991 Dec 9;294(3):210-2. PubMed PMID: 1756862.